

INDOOR PURE BRIGHT LAMP OIL

Page: 1

Compilation date: 06/04/2016 Revision date: 29/11/2018

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: INDOOR PURE BRIGHT LAMP OIL

Product code: LOPBGEN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: * Consumer Use. Professional Use. Lamp Oil Unique Formula Identifier (UFI) in accordance with Commision Regulation (EU) No 2017/542. UFI: 4C10-Y0Q0-H00H-Y516

1.3. Details of the supplier of the safety data sheet

Company name: J.V. Barrett & Co Ltd St Ivel Way Warmley Bristol BS30 8TY United Kingdom Tel: 01179600060

- _
- Fax: 01179352437
- Email: sales@barrettine.co.uk

1.4. Emergency telephone number

Emergency tel: +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm

Fri.) +44 (0) 1270 502891 (Out of hours emergency number)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Asp. Tox. 1: H304

Most important adverse effects: May be fatal if swallowed and enters airways.

2.2. Label elements

Label elements:

Hazard statements: H304: May be fatal if swallowed and enters airways.

Hazard pictograms: GHS08: Health hazard

INDOOR PURE BRIGHT LAMP OIL



Signal words:	Danger
Precautionary statements:	P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.
	P331: Do NOT induce vomiting.
	P405: Store locked up.
	P501: Dispose of contents/container to hazardous or special waste collection
	point, in accordance with local, regional, national and/or international regulations.
2.3. Other hazards	

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

PARAFFINS (PETROLEUM), NORMAL C>10 - REACH registered number(s): 01-2119562696-25-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
265-232-9	64771-71-7	-	Asp. Tox. 1: H304	>98%

Section 4: First aid measures

4.1. Description of first aid	I measures
Skin contact:	Wash immediately with plenty of soap and water.
Eye contact:	Bathe the eye with running water for 15 minutes.
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre
	of water to drink immediately. Transfer to hospital as soon as possible.
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so.
4.2. Most important sympt	toms and effects, both acute and delayed
Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.
Ingestion:	There may be soreness and redness of the mouth and throat. There may be
	difficulty swallowing. Nausea and stomach pain may occur. There may be
	vomiting.
Inhalation:	Absorption through the lungs can occur causing symptoms similar to those of
	ingestion.
) elaved / immediate effects:	Immediate effects can be expected after short-term exposure.

Immediate / special treatment: Treat Symptomatically.

Page: 2

INDOOR PURE BRIGHT LAMP OIL

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Water spray. Dry chemical powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

INDOOR PURE BRIGHT LAMP OIL

DNEL/PNEC Values

DNEL/PNEC No	data available.
--------------	-----------------

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	If ventilation is insufficient suitable respiratory protection must be provided.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses.
Skin protection:	Protective clothing.
Environmental:	Avoid release to the environment

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Colourless		
Odour:	Paraffin		
Evaporation rate:	No data available.		
Oxidising:	No data available.		
Solubility in water:	Insoluble		
Boiling point/range°C:	200-300	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	>80	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	>200	Vapour pressure:	< 1 mmHg @20oC
Relative density:	0.77	pH:	Not applicable.
VOC g/l:	No data available.		

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat.

INDOOR PURE BRIGHT LAMP OIL

Page: 5

10.5. Incompatible materials

Materials to avoid: No data available.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

PARAFFINS (PETROLEUM), NORMAL C>10

ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	8H LC50	>300	ppmV

Relevant hazards for product:

Hazard	Route	Basis
Aspiration hazard	-	Hazardous: calculated

Excluded hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	-	No hazard: calculated
Acute toxicity (ac. tox. 3)	-	No hazard: calculated
Acute toxicity (ac. tox. 2)	-	No hazard: calculated
Acute toxicity (ac. tox. 1)	-	No hazard: calculated
Skin corrosion/irritation	-	No hazard: calculated
Serious eye damage/irritation	-	No hazard: calculated
Respiratory/skin sensitisation	-	No hazard: calculated
Germ cell mutagenicity	-	No hazard: calculated
Carcinogenicity	-	No hazard: calculated
Reproductive toxicity	-	No hazard: calculated
STOT-single exposure	-	No hazard: calculated
STOT-repeated exposure	-	No hazard: calculated

Symptoms / routes of exposure

Skin contact:	There may be mild irritation at the site of contact.	
---------------	--	--

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.

- **Inhalation:** Absorption through the lungs can occur causing symptoms similar to those of ingestion.
- Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

INDOOR PURE BRIGHT LAMP OIL

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

PARAFFINS (PETROLEUM), NORMAL C>10

ALGAE	72H ErC50	>1000	mg/l
FISH	96H LC50	>1000	mg/l
INVERTEBRATE	10D LC50	>2000	mg/kg

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: * Retail packs require a child resistant closure to BS EN ISO 28317 and a tactile warning triangle.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

INDOOR PURE BRIGHT LAMP OIL

Section 16: Other information

Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H304: May be fatal if swallowed and enters airways. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.