

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 29/04/2020 Revision date: 22/06/2021 Supersedes version of: 09/12/2020 Version: 3.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : 75% Alcohol Ethanol Surface Cleaner

UFI : 5H60-C03T-W006-PN02

Product code : ETSCGEN

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Industrial use,Professional use,Consumer use
Use of the substance/mixture : Cleaning/washing agents and additives

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier EU

J.V. Barrett & Co. Ltd Ltd Barrettine (Europe) Ltd Ltd

St Ivel Way Warmley

Unit 3D North Point House, North Point Business Park, New Mallow Road

United Kingdom– BS30 8TY Bristol Ireland– T23 AT2P Cork

United Kingdom Ireland

T +44 (0)1179 60 00 60 T +44 1179 60 00 60

sales@barrettine.co.uk - www.barrettine.co.uk

### 1.4. Emergency telephone number

Emergency number : +44 (0) 1179 600060 (Office hours only 8am - 5pm Mon- Thurs. 8 am - 4.30 pm Fri.)

+44 (0) 1270 502891 (Out of hours emergency number)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225 Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP)

: Danger

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P280 - Wear protective gloves, protective clothing, eye protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents, container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

Child-resistant fastening Not applicable Tactile warning Applicable

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethanol; ethyl alcohol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	≥ 70 - < 90	Flam. Liq. 2, H225
isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	≥1-<3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
MEK (METHYL ETHYL KETONE), BUTANONE substance with a Community workplace exposure limit	CAS-No.: 78-93-3 EC-No.: 201-159-0 EC Index-No.: 606-002-00-3 REACH-no: 01-2119457290-	≥1-<3	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation or asthma-like symptoms.

: May cause an allergic skin reaction. Symptoms/effects after skin contact

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : May cause irritation to the digestive tract. Ingestion may cause nausea and vomiting.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

: Highly flammable liquid and vapour. Fire hazard : Toxic fumes may be released.

Hazardous decomposition products in case of fire

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eves.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorised site.

## 6.4. Reference to other sections

For further information refer to section 13.

22/06/2021 (Revision date) GB - en 3/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof

equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Hygiene measures

Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions Store in a well-ventilated place. Keep cool. Keep container tightly closed.

## 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

ethanol; ethyl alcohol (64-17-5)				
reland - Occupational Exposure Limits				
Local name	Ethanol [Ethyl alcohol]			
OEL STEL [ppm]	1000 ppm			
Regulatory reference	Chemical Agents Code of Practice 2020			
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits			
Local name Ethanol				
WEL TWA (OEL TWA) [1] 1920 mg/m³				
WEL TWA (OEL TWA) [2] 1000 ppm				
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE				
isopropanol (67-63-0)				
Ireland - Occupational Exposure Limits				
Local name Isopropyl alcohol [Propan-2-ol]				
OEL TWA [2]	200 ppm			
OEL STEL [ppm] 400 ppm				
Regulatory reference Chemical Agents Code of Practice 2020				
Ireland - Biological limit values				
Local name	2-Propanol			
BLV 40 mg/l Parameter: acetone - Medium: urine - Sampling time: End of shift at end of workweek - Notations: B (Background), Ns (Non-specific)				
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)			
United Kingdom - Occupational Exposure Limits				
Local name Propan-2-ol				

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopropanol (67-63-0)				
WEL TWA (OEL TWA) [1]	999 mg/m³			
WEL TWA (OEL TWA) [2]	400 ppm			
WEL STEL (OEL STEL)	1250 mg/m³			
WEL STEL (OEL STEL) [ppm]	500 ppm			
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE			
MEK (METHYL ETHYL KETONE), BUTANONE	(78-93-3)			
EU - Indicative Occupational Exposure Limit (IOEL)				
Local name	Butanone			
IOEL TWA	600 mg/m³			
IOEL TWA [ppm]	200 ppm			
IOEL STEL	900 mg/m³			
IOEL STEL [ppm]	300 ppm			
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC			
Ireland - Occupational Exposure Limits				
Local name Methyl ethyl ketone (MEK)				
OEL TWA [1]	600 mg/m³			
OEL TWA [2]	200 ppm			
OEL STEL	900 mg/m³			
OEL STEL [ppm]	300 ppm			
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)			
Regulatory reference	Chemical Agents Code of Practice 2020			
Ireland - Biological limit values				
Local name	Butan-2-one			
BLV	70 μmol/l Parameter: butan-2- one - Medium: urine - Sampling time: Post shift			
Regulatory reference	Biological Monitoring Guidelines (HSA, 2011)			
United Kingdom - Occupational Exposure Limits				
Local name	Butan-2-one (methyl ethyl ketone)			
WEL TWA (OEL TWA) [1]	600 mg/m³			
WEL TWA (OEL TWA) [2]	200 ppm			
WEL STEL (OEL STEL)	899 mg/m³			
WEL STEL (OEL STEL) [ppm]	300 ppm			
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)			
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE				
United Kingdom - Biological limit values				
Local name Butan-2-one (methyl ethyl ketone)				
	Butan-2-one (methyl ethyl ketone)			
BMGV	Butan-2-one (methyl ethyl ketone)  70 µmol/l Parameter: butan-2-one - Medium: urine - Sampling time: Post shift			

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Hand protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

#### Materials for protective clothing:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

## 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : Colourless.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odour : characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available

Boiling point :  $78 \, ^{\circ}\text{C}$ Flash point :  $< 23 \, ^{\circ}\text{C}$ Auto-ignition temperature :  $363 \, ^{\circ}\text{C}$ 

Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Solubility : Soluble in water. Soluble in other organic solvents.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Highly flammable liquid and vapour.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

## 10.5. Incompatible materials

Oxidizing agent. Strong acids.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

LD50 oral rat	15010 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 14450 - 15560
LD50 oral	8300 mg/kg bodyweight Animal: mouse

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopropanol (67-63-0)		
LD50 oral rat 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute C		
LD50 dermal rabbit	16400 mg/kg Source: ECHA	
MEK (METHYL ETHYL KETONE), BUTANON	E (78-93-3)	
LD50 oral rat	2193 mg/kg Source: ECHA	
LC50 Inhalation - Rat (Vapours)	32 mg/l Source: RTECS	
Skin corrosion/irritation	Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
ethanol; ethyl alcohol (64-17-5)		
IARC group	1 - Carcinogenic to humans	
isopropanol (67-63-0)		
IARC group	3 - Not classifiable	
Reproductive toxicity	Not classified	
STOT-single exposure	: Not classified	
isopropanol (67-63-0)		
STOT-single exposure	May cause drowsiness or dizziness.	
MEK (METHYL ETHYL KETONE), BUTANON	E (78-93-3)	
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
ethanol; ethyl alcohol (64-17-5)		
NOAEL (subchronic, oral, animal/male, 90 days)	< 9700 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	
NOAEL (subchronic, oral, animal/female, 90 days)	> 9400 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)	
Aspiration hazard	: Not classified	

## SECTION 12: Ecological information

LC50 - Fish [1]

12.1. Toxicity				
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.			
Hazardous to the aquatic environment, short-term (acute)	: Not classified			
Hazardous to the aquatic environment, long-term (chronic)	: Not classified			
Not rapidly degradable				
ethanol; ethyl alcohol (64-17-5)				
LC50 - Fish [1]	14.2 g/l Test organisms (species): Pimephales promelas			
ErC50 algae	275 mg/l Source: ECHA			
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'			
isopropanol (67-63-0)				

22/06/2021 (Revision date) GB - en 8/13

10000 mg/l Test organisms (species): Pimephales promelas

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

isopropanol (67-63-0)			
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas		
MEK (METHYL ETHYL KETONE), BUTANONE (78-93-3)			
LC50 - Fish [1] 2993 mg/l Test organisms (species): Pimephales promelas			
EC50 - Crustacea [1]	308 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	1972 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 96h - Algae [1]	2029 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		

### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

ethanol; ethyl alcohol (64-17-5)			
Partition coefficient n-octanol/water (Log Pow) -0.32 Source: ICSC			
isopropanol (67-63-0)			
Partition coefficient n-octanol/water (Log Pow) 0.05 Source: ICSC			
MEK (METHYL ETHYL KETONE), BUTANONE (78-93-3)			
Partition coefficient n-octanol/water (Log Pow) 0.29 Source: ICSC			

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

#### 75% Alcohol Ethanol Surface Cleaner

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

#### Component

isopropanol (67-63-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information : Flammable vapours may accumulate in the container.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

22/06/2021 (Revision date) GB - en 9/13

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID			
14.1. UN number							
UN 1987	UN 1987	UN 1987	UN 1987	UN 1987			
14.2. UN proper shipping name							
ALCOHOLS, N.O.S. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE)	ALCOHOLS, N.O.S. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE)	Alcohols, n.o.s. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE)	ALCOHOLS, N.O.S. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE)	ALCOHOLS, N.O.S. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE)			
Transport document descr	iption						
UN 1987 ALCOHOLS, N.O.S. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE), 3, II, (D/E)	UN 1987 ALCOHOLS, N.O.S. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE), 3, II	UN 1987 Alcohols, n.o.s. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE), 3,	UN 1987 ALCOHOLS, N.O.S. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE), 3,	UN 1987 ALCOHOLS, N.O.S. (ethanol; ethyl alcohol; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE), 3,			
14.3. Transport hazard o	class(es)						
3	3	3	3	3			
3	3	3	3	3			
14.4. Packing group							
II	II	II	II	II			
14.5. Environmental hazards							
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No			
No supplementary informatio	n available						

### 14.6. Special precautions for user

### Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 274, 601, 640C

Limited quantities (ADR) : 11
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : L1.5BN

Vehicle for tank carriage : FL

Transport category (ADR) : 2

Special provisions for carriage - Operation (ADR) : S2, S20

Hazard identification number (Kemler No.) : 33

Orange plates :

33 1987

Tunnel restriction code (ADR) : D/E
EAC code : •3YE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Transport by sea

Special provisions (IMDG): 274Limited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T7

Tank special provisions (IMDG) : TP1, TP8, TP28

EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-D
Stowage category (IMDG) : B

#### Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 353 PCA max net quantity (IATA) : 5L : 364 CAO packing instructions (IATA) CAO max net quantity (IATA) : 60L Special provisions (IATA) : A3, A180 ERG code (IATA) : 3L

#### Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 274, 601, 640C

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

#### Rail transport

Classification code (RID) : F1

Special provisions (RID) : 274, 601, 640C

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID) : L1.5BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(a)	75% Alcohol Ethanol Surface Cleaner; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	75% Alcohol Ethanol Surface Cleaner; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
40.	75% Alcohol Ethanol Surface Cleaner; isopropanol; MEK (METHYL ETHYL KETONE), BUTANONE	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

Contains no substance on the REACH candidate list

Organic solvent

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

## Indication of changes:

Modified.

Indication of changes				
Section	Changed item	Change	Comments	
	Revision date	Modified		
	Supersedes version of	Modified		
1.1	Additional information	Modified		
1.4	Additional information	Modified		

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:		
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Full text of H- and EUH-statements:		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H225	Highly flammable liquid and vapour.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.